




Model	Power		Outlet (inch)	m³/h	0	0.3	0.6	0.9	1.2	1.5
	kW	HP			l/min	0	5	10	15	20
4SK1-10	0.37	0.5	1.25"	H(m)	67	63	55	46	33	18
4SK1-13	0.37	0.5			86	78	70	56	42	23
4SK1-19	0.55	0.75			126	118	105	86	60	30
4SK1-26	0.75	1			173	160	141	117	81	39
4SK1-38	1.1	1.5			253	234	208	169	117	52
4SK1-50	1.5	2			318	295	266	218	158	70





Model	Power		Outlet (inch)	m³/h	0	1.5	1.8	2.1	2.4	2.7	3
	kW	HP			l/min	0	25	30	35	40	45
4SK2-5	0.37	0.5	1.25"	H(m)	33	28	26	24	20	17	13
4SK2-7	0.37	0.5			47	39	35	32	28	24	19
4SK2-10	0.55	0.75			67	56	52	47	41	35	27
4SK2-14	0.75	1			93	78	73	66	57	50	37
4SK2-20	1.1	1.5			133	113	104	97	82	72	53
4SK2-28	1.5	2			187	158	146	130	115	97	74
4SK2-40	2.2	3			267	226	208	186	164	136	106
4SK2-52	3	4			347	294	271	243	213	178	138





Model	Power		Outlet (inch)	m³/h l/min	0	2.1	2.4	2.7	3.0	3.6	4.2
	kW	HP			0	35	40	45	50	60	70
4SK3-5	0.37	0.5	1.25"	H(m)	34	29	27	25	23	18	12
4SK3-8	0.55	0.75			54	46	43	41	38	30	19
4SK3-11	0.75	1			72	61	56	54	49	38	28
4SK3-16	1.1	1.5			106	89	83	77	70	54	34
4SK3-21	1.5	2			142	122	115	108	100	79	49
4SK3-32	2.2	3			208	177	165	152	138	104	64

Model	Power		Outlet (inch)	m³/h l/min	0	3	3.6	4.2	4.8	5.4	6
	kW	HP			0	50	60	70	80	90	100
4SK4-5	0.37	0.5	1.25"	H(m)	33	22	21	17	13	8	3
4SK4-7	0.55	0.75			46	36	33	28	21	13	7
4SK4-9	0.75	1			59	47	43	37	28	20	10
4SK4-14	1.1	1.5			93	76	68	58	47	33	19
4SK4-18	1.5	2			120	98	88	75	60	42	25
4SK4-27	2.2	3			175	141	127	109	87	61	35
4SK4-35	3	4			231	184	166	145	119	85	49
4SK4-44	4	5.5			285	223	201	173	139	99	55
4SK4-48	4	5.5			322	245	228	198	160	118	70



Model	Power		Outlet (inch)	m³/h l/min	0	3.6	4.2	4.8	5.4	6	6.6
	kW	HP			0	60	70	80	90	100	110
4SK5-4	0.37	0.5	1.25"	H(m)	26	19	17	14	11	7	4
4SK5-6	0.55	0.75			38	30	26	22	18	12	8
4SK5-8	0.75	1			51	39	35	30	24	18	14
4SK5-12	1.1	1.5			77	63	57	49	41	31	21
4SK5-16	1.5	2			102	86	77	68	57	46	34
4SK5-24	2.2	3			151	122	111	97	80	62	44
4SK5-32	3	4			203	162	146	127	105	80	59
4SK5-40	4	5.5			253	202	182	159	131	102	70
4SK5-44	4	5.5			278	230	210	187	159	127	94


Model	Power		Outlet (inch)	m³/h l/min	0	5.4	6	6.6	7.2	7.8	9
	kW	HP			0	90	100	110	120	130	150
4SK6-7	0.75	1	2"	H(m)	42	28	25	22	19	15	8
4SK6-10	1.1	1.5			62	41	38	34	29	23	12
4SK6-14	1.5	2			90	63	59	53	46	37	19
4SK6-20	2.2	3			125	86	80	71	62	52	29
4SK6-27	3	4			169	115	107	96	84	70	39
4SK6-34	4	5.5			208	143	132	120	103	86	48
4SK6-36	4	5.5			221	154	143	127	112	93	49
4SK6-49	5.5	7.5			302	209	193	171	151	123	64



Model	Power		Outlet (inch)	m³/h l/min	0	7.2	7.8	8.4	9.0	9.6	12
	kW	HP			0	120	130	140	150	160	200
4SK8-4	0.75	1	2"	H(m)	26	21	20	19	18	17	11
4SK8-6	1.1	1.5			39	32	30	29	27	26	18
4SK8-8	1.5	2			52	43	40	39	37	35	24
4SK8-13	2.2	3			82	66	62	59	53	50	30
4SK8-17	3	4			108	87	83	79	75	70	47
4SK8-21	4	5.5			132	103	98	93	88	82	52
4SK8-23	4	5.5			148	118	113	108	101	95	60
4SK8-32	5.5	7.5			202	160	151	143	133	125	80

Model	Power		Outlet (inch)	m³/h l/min	0	9.6	10.8	12	13.2	14.4	15.6
	kW	HP			0	160	180	200	220	240	260
4SK12-7	1.5	2	2"	H(m)	45	31	28	25	22	18	14
4SK12-10	2.2	3			64	44	41	36	32	26	20
4SK12-14	3	4			89	62	56	49	43	35	29
4SK12-17	4	5.5			107	74	67	59	51	42	33
4SK12-19	4	5.5			120	89	76	68	58	48	38
4SK12-26	5.5	7.5			163	111	100	87	75	61	47
4SK12-35	7.5	10			221	155	140	125	108	90	67

4SK16



Model	Power		Outlet (inch)	m³/h	0	15.6	16.8	18	19.2	20.4	24
	kW	HP			l/min	0	260	280	300	320	240
4SK16-8	2.2	3	2"	H(m)	49	28	25	23	20	18	9
4SK16-10	3	4			67	39	36	33	30	27	16
4SK16-13	4	5.5			79	47	43	40	36	32	20
4SK16-15	4	5.5			93	55	51	47	43	39	25
4SK16-20	5.5	7.5			122	72	67	61	56	50	32
4SK16-28	7.5	10			151	92	85	78	70	62	40